



Vanguard Laboratory
2635 Parkmont Ln
Olympia, Wa 98502
360-967-7010

Certificate of Analysis

BPC-157/TB-500 5 mg/5 mg

Report To:
Wholesale

Compound: BPC-157/TB-500
Quantity: 5 mg/5 mg
Laboratory ID: V260123-1 005
Lot Number: BPC-157-02/TB4-01
Date Reported: 2/10/2026

Analyte	Method	LOQ (ppm)	Result (ppm)
Arsenic (As)	ICP-MS	0.01	ND
Cadmium (Cd)	ICP-MS	0.01	ND
Lead (Pb)	ICP-MS	0.01	ND
Mercury (Hg)	ICP-MS	0.005	ND

Run ID: 260123, 260203

Report By: Dustin Newman, Laboratory Director on 2/10/2026

Approved By: Tori Johnson, Operations Manager on 2/10/2026




Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.

Certificate of Analysis


BPC-157/TB-4 10 mg/10 mg

Report To:
Wholesale

Compound: BPC-157/TB-4
Quantity: 5 mg/5 mg
Laboratory ID: V250929-1 007
Lot Number: Purple Cap Date
Reported: 10/8/2025



Analysis	Method	Result
Chromatographic Purity	HPLC-UV/VIS	>99.50% ± 0.18%
Quantity: BPC-157	HPLC-UV/VIS	12.00 mg
Quantity: TB-4	HPLC-UV/VIS	11.02 mg




Report By: Dustin Newman, Laboratory Director on 10/8/2025



Approved By: Tori Johnson, Operations Manager on 10/8/2025



Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.